

CLEAN FIRE SYSTEM

XARALYN®

2019



Decorative fireplaces





Ambiance



Measurements: H 1950 | W 1100 | D 350 mm
Material: MDF (RAL 9010)



Measurements: H 1950 | W 1100 | D 350 mm
Material: MDF (RAL 9010)



Bio ethanol burner XL (8014LS)



Cassette 600



Cadiz



Measurements: H 950 | W 980 | D 375 mm

Material: Natural stone F02

Finish: Polished or unpolished




Measurements: H 950 | W 980 | D 375 mm

Material: Natural stone F03


Finish: Polished or unpolished

Choose your insert!

The Cadiz and the Cadiz corner are available with the following inserts.



Built-in unit Large



Built-in unit Brick

Cadiz corner



Measurements: H 950 | W 980 | D 375 mm
Material: MDF (RAL 9010)



Measurements: H 950 | W 980 | D 685 mm
Material: Natural stone F02
Finish: Polished



Built-in unit Medallion



Lucius



Trivero 70



Built-in unit Cassette 600

Kos




Measurements: H 1080 | W 1190 | D 390 mm
Material: Natural stone F02
Finish: Polished or unpolished




Measurements: H 1080 | W 1190 | D 390 mm
Material: Natural stone F03
Finish: Polished or unpolished

Choose your insert!

The Kos is available with the following inserts.



Built-in unit Large



Built-in unit Brick



Our natural stone (fossil stone) fireplaces are delivered fully assembled. We use a wooden base on which we glue a thin layer of stone. This stone layer is then leveled.

This way of producing natural stone fireplaces has many advantages. We use fewer materials and have a much lighter end product. The natural stone fireplaces will be fully assembled in production and can therefore be moved just as easily as a large piece of furniture.

Every natural stone fireplace is unique. The surround is finished by hand to give a unique look to each fireplace and due to the character of the stone, no two fireplaces are identical.



Built-in unit Medallion



Lucius



Trivero 70



Built-in unit Cassette 600

Kreta & Kreta mini




Measurements Kreta: H 1200 | W 1100 | D 540 mm
Measurements Kreta mini: H 1000 | W 1050 | D 445 mm
Material: Natural stone F02
Finish: Polished or unpolished



Measurements Kreta: H 1200 | W 1100 | D 540 mm
Measurements Kreta mini: H 1000 | W 1050 | D 445 mm
Material: Natural stone F03
Finish: Polished or unpolished

Choose your insert!

The Kreta and Kreta mini are available with the following inserts.



Built-in unit Large




Built-in unit Brick



Built-in unit Medallion



Lucius



Trivero 70



Built-in unit Cassette 600

Louis




Measurements: H 1110 | W 1180 | D 450 mm
Material: Natural stone + composite C03




Measurements: H 1110 | W 1180 | D 450 mm
Material: Natural stone + composite C02

Choose your insert!

The Louis is available with the following inserts.



Built-in unit Large



Built-in unit Brick



Built-in unit Medallion



Lucius



Trivero 70



Built-in unit Cassette 600

Marvik



Measurements: H 1000 | W 1330 | D 330 mm
Material: MDF (RAL 9010)



Choose your insert!

The Marvik is available with the following inserts.



Built-in unit Large



Trivero 70



Built-in unit Cassette 600



Santos




Measurements: H 1000 | W 1300 | D 470 mm
Material: Natural stone F02
Finish: Polished

Todos



Measurements: H 1000 | W 780 | D 405 mm
Material: Natural stone F02
Finish: Polished



Bio ethanol burner Large (5820LB)

Trivero 90

Cassette 600



Bio ethanol burner Small (4114LB)

Cassette 400

Milos



Measurements: H 970 | W 995 | D 340 mm
Material: Natural stone F02
Finish: Polished



Built-in unit Large



Trivero 70



Built-in unit Cassette 600

Flueless

No chimney but you still want to have the feel and atmosphere of a real fire? Xaralyn can make that possible!

Xaralyn is leading on the market of flueless fireplaces. Xaralyn offers an extensive collection of flueless fireplaces that compliment a modern or a traditional interior.

The mission of Xaralyn is to bring warmth into your home with the fireplace as the focal point. We always strive for the perfect fire.

With our ultra modern production facilities, Xaralyn is able to guarantee a constant level of quality for our customers. The Xaralyn flueless fireplaces provide a solution if your house has no chimney. All fireplaces can easily be placed and moved.

No special adjustments are necessary for the installation. The separate patented bio ethanol burners with ceramic core can be combined with one of the many surrounds in the Xaralyn collection, but can also be used in existing fireplaces or in other creative made-to-measure projects.

The perfect, clean alternative to a gas fireplace or wood stove!

Nero




Measurements: H 1015 | W 1195 | D 360 mm
Material: Natural stone F02
Finish: Polished



Measurements: H 1015 | W 1195 | D 360 mm
Material: Natural stone F03
Finish: Polished

Choose your insert!

The Louis is available with the following inserts.



Built-in unit Large



Built-in unit Brick



Built-in unit Medallion



Lucius



Trivero 70



Built-in unit Cassette 600

Nuoro



Measurements: H 1190 | W 750 | D 350 mm
Material: Concrete look C14N



Choose your insert!

The Nuoro is available with the following inserts.



Bio ethanol burner Small (4114LB)



Cassette 600



Elin



Measurements: H 450 | W 1800 | D 450 mm

Material: MDF (RAL 9010)

Including: Bio ethanol burner S (4114LS)





Atri



Wall-mounted model

Measurements: H 600 | W 950 | D 165 mm

Material: Black aluminium

Including: Bio ethanol burner XL (8013LS)



Wall-mounted model

Measurements: H 600 | W 950 | D 165 mm

Material: Silver aluminium

Including: Bio ethanol burner XL (8013LS)



Measurements: H 640 | W 950 | D 400 mm
Material: Black aluminium
Including: Bio ethanol burner XL (8013LS)



Measurements: H 640 | W 950 | D 400 mm
Material: Silver aluminium
Including: Bio ethanol burner XL (8013LS)

Cuneo



Measurements: H 105 | W 530 | D 260 mm

Material: Concrete look C14N

Including: Bio ethanol burner S (4114LS)

Milano



Measurements: H 900 | W 760 | D 300 mm

Material: Concrete look C14N

Including: Bio ethanol burner (4114S)



Lasize



Measurements: H 1360 | W 980 | D 358 mm
Material: MDF (RAL 9010)



Measurements: H 1360 | W 980 | D 358 mm
Material: Concrete look C14N

Choose your insert!

The Lasize is available with the following inserts.



Bio ethanol burner Large (5820LB)



Cassette 600



Shigo



Measurements: H 850 | W 900 | D 400 mm

Material: Natural stone F02

Including: Bio ethanol burner S (4114LB)

Silo



Measurements: H 850 | W 450 | D 450 mm

Material: Steel

Including: Fitted bio ethanol burner



Goya



Measurements: H 645 | W 970 | D 200 mm
Material: **MDF (RAL 9005)**
Including: **Bio ethanol burner S (4114B)**



Measurements: H 645 | W 970 | D 200 mm
Material: **MDF (RAL 9010)**
Including: **Bio ethanol burner S (4114B)**



Measurements: H 645 | W 970 | D 200 mm

Material: Concrete look C14N

Including: Bio ethanol burner S (4114B)

Nova



Measurements: H 620 | W 600 | D 300 mm
Material: Concrete C14N



Measurements: H 620 | W 600 | D 300 mm
Material: MDF (RAL 9010)



Bio ethanol burner Small (4114LB)



Cassette 400



Cassette 400



Quero



Measurements Bio ethanol burner: H 750 | W 600 | D 245 mm
Measurements Cassette 400: H 750 | W 600 | D 300 mm
Material: Steel



Measurements Bio ethanol burner: H 750 | W 600 | D 245 mm
Measurements Cassette 400: H 750 | W 600 | D 300 mm
Material: Corten steel

Choose your insert!

The Quero is available with the following inserts.



Bio ethanol burner Small (4114LB)



Cassette 400



Measurements Bio ethanol burner: H 750 | W 600 | D 245 mm
Measurements Cassette 400: H 750 | W 600 | D 300 mm
Material: Stainless steel



Measurements Bio ethanol burner: H 750 | W 600 | D 245 mm
Measurements Cassette 400: H 750 | W 600 | D 300 mm
Material: Black glass

Trivero

Trivero 130

H 465 mm | W 1270 mm | D 140 mm



Trivero 180

H 465 mm | W 1830 mm | D 140 mm



Trivero 240

H 465 mm | W 2430 mm | D 140 mm



This design fire uses our latest LED technology, operation via the touch-screen or remote control. The touch screen of this fireplace only lights up as soon as it is touched, after a few seconds this control panel becomes dark again. The Trivero can be used for additional heating or purely for decorative purposes.

Wall-surround Trivero comes standard with basalt split.

- Consumption 15-20 Watt
- Maintenance-free
- Functions with LED lights
- Adjustable flames
- Remote control
- Heating: 0 - 700 - 1400 Watt (to be programmed)
- Timer function
- Plug: EU grounded (supplied with UK adaptor for all deliveries to UK or Ireland)





Umbria



Measurements Bio ethanol: H 650 | W 740 | D 340 mm
Material: MDF (RAL 9010)



Measurements Cassette 600: H 700 | W 740 | D 340 mm
Material: MDF (RAL 9010)

Choose your insert!

The Umbria is available with the following inserts.



Bio ethanol burner Large (5820B)



Cassette 600



NEW YORK





Bio ethanol burner S (4114)

With lip



Measurements: H 80 | W 409 | D 137 mm

Top plate: W 429 | D 157 mm

Burner contents: ± 1 liter

Burning time: ± 3 hours

Consumption per hour: ± 0,30 liter

Heat output: approx. 2 KW

Without lip



Measurements: H 80 | W 409 | D 137 mm

Burner contents: ± 1 liter

Burning time: ± 3 hours

Consumption per hour: ± 0,3 liter

Heat output: approx. 2 KW

Bio ethanol burner M (4120)

Without lip




Measurements: H 80 | W 405 | D 200 mm

Burner contents: ± 1,5 liter

Burning time: ± 3 hours

Consumption per hour: ± 0,3 liter

Heat output: approx. 2,5 KW



Safety comes first with Xaralyn and all bio ethanol burners contain a ceramic core. This core absorbs the bio ethanol completely, which makes it impossible for the fuel to leak or spill from the burners, unlike bio ethanol burners with an open reservoir. The filling opening is separate from the opening of the fire and due to the built in safety system it is impossible to fill the bio ethanol burners while they are lit.

- The fire is created by gas that is formed when bio ethanol is exposed to the air. Due to the gradual release of the gas, there is a constant combustion, making this the bio ethanol burner very economical in use and the safest on the market.
- The complete bio ethanol burner is made of high quality stainless steel
- Ceramic stone absorbs the bio ethanol
- Ceramic wool in the outer case absorbs excess bio ethanol in case of overfilling

Bio ethanol burner L (5820)

With lip



Measurements: H 80 | W 577 | D 200 mm

Top plate: W 597 | D 220 mm

Burner contents: ± 2 liters

Burning time: ± 3,5 hours

Consumption per hour: ± 0,5 liters

Heat output: approx. 3KW

Without lip



Measurements: H 80 | W 575 | D 200 mm

Burner contents: ± 2 liters


Burning time: ± 3,5 hours

Consumption per hour: ± 0,5 liters

Heat output: approx. 3KW

XL (8014)

With lip



Measurements: H 80 | W 800 | D 137 mm

Top plate: W 820 | D 157 mm

Burner contents: ± 2,5 liter

Burning time: ± 3,5 hours

Consumption per hour: ± 0,55 liter

Heat output: approx. 3,5KW

XXL (11814)

With lip



Measurements: H 79 | W 1180 | D 136 mm

Top plate: W 1200 | D 156 mm

Burner contents: ± 3,5 liter

Burning time: ± 3,5 hours

Consumption per hour: ± 0,65 liter

Heat output: approx. 4,4 KW

Built in unit S



Measurements: H 690 | W 500 | D 210 mm
Including Bio ethanol burner Medium (4120)

Built in unit L



Measurements: H 710 | W 680 | D 210 mm
Including Bio ethanol burner Large (5820B)



Measurements: H 744 | W 685 | D 225 mm
With stone decor
Including Bio ethanol burner Large (5820B)



Measurements: H 744 | W 685 | D 225 mm
With stone decor and medaillon
Including Bio ethanol burner Large (5820B)

Would you like to design your own fireplace?

Designing your own exclusive fireplace has never been easier! With the complete built-in units from Xaralyn you can easily design your dream fire.

Find inspiration on Pinterest, Stock Photo or similar online platforms and enjoy your own unique fireplace in no time.

Xaralyn offers an easy solution and has a perfect alternative to a gas fireplace or wood stove. A fire without fossil fuel and without fine dust. We offer various built-in units that can be installed as bio ethanol fireplaces. A bio ethanol fireplace has a completely clean combustion so a flue or chimney is not required.

When burning, a gas fireplace or wood stove needs a chimney to drain the harmful substances. There is more and more discussion about banning wood fires in the big cities. Let's be honest, it might smell good to you, but a wood-burning stove can simply be a nuisance for your neighbors. Unfortunately placing a gas fireplace in an apartment or flat is usually not possible. Installing a flue or chimney is a complicated job that is usually left to the experts. How easy would it be if we didn't need a flue?

A Xaralyn fireplace is easy to install as a do-it-yourself job, because a chimney is not needed!

If you do not have the experience and you would prefer to leave the installation of your dream fireplace to a craftsman, we're happy to put you in touch with a specialist who can realize your project



Built in unit XL



Measurements: H 539 | W 949 | D 217 mm
Including Bio ethanol burner XL (8014LS)
Optional with Finishing frame

Built in unit XXL



Measurements: H 539 | W 1330 | D 217 mm
Including Bio ethanol burner XXL (11814LS)
Optional with Finishing frame

Built in profiles



Available in black or brushed stainless steel

Including bio ethanol burner S (4114L)
Measurements: H 4 | W 530 | D 260 mm



Available in black or brushed stainless steel


Including bio ethanol burner L (5820L)
Measurements: H 4 | W 925 | D 260 mm



Available in black or brushed stainless steel

Including bio ethanol burner XL (8014L)

Measurements: H 4 | W 960 | D 320 mm








Elski



Measurements: H 665 | W 470 | D 210 mm

- Consumption 10 Watt
- Maintenance-free
- Functions with LED lights
- Adjustable flames
- Remote control
- Heating: 0 – 600 – 1200 Watt (to be programmed)
- Plug: EU grounded


Trivero 90



Measurements: H 560 | W 1040 | D 140 mm

- Consumption 15 Watt
- Maintenance-free
- Including basalt split
- Functions with LED lights
- Adjustable flames
- Remote control
- Plug: EU grounded

Trivero 70



Measurements: H 690 | W 660 | D 196 mm

- Consumption 10 Watt
- Maintenance-free
- Including basalt split
- Functions with LED lights
- Adjustable flames
- Remote control
- Heating: 0 - 400 - 800 Watt (to be programmed)
- Plug: EU grounded

Lucius



Measurements: H 615 | W 624 | D 204 mm

- Consumption 10 Watt
- Maintenance-free
- Remote control
- Functions with LED lights
- Adjustable flames
- Heating: 0 – 700 – 1400 Watt (to be programmed)
- Plug: EU grounded

Cassette 400



Measurements: H 330 | W 405 | D 218 mm

- Consumption 200 Watt
- Adjustable flame image
- Remote control
- Plug: EU grounded

This model will only be sold in combination with a surround.

Cassette 600



Measurements: H 340 | W 564 | D 218 mm

- Consumption 200 Watt
- Adjustable flame image
- Remote control
- Plug: EU grounded

This model will only be sold in combination with a surround.



Logset 6 pieces



Logset 10 pieces



Luxury logset



Bio ethanol CL100

Bio ethanol is entirely comprised of biological products, and hence the combustion of bioethanol results in cleaner emissions (carbon dioxide, steam and heat). Carbon dioxide is absorbed by plants and processed via photosynthesis to help the plant grow. This cycle of creation and energy combustion means bioethanol could potentially be a carbon neutral fuel source.

Box contains 12, 1 Liter bottles



White pebbles



Suitable for use in combination with bio ethanol burners. 5kg

Basalt split



Suitable for use in combination with bio ethanol burners. 4kg

Crackling sound effect box



The crackling sound effect box gives the sound effect of a true fire and can be used with your electric or ceramic fire. The crackling sound box copies the sound of an open fire with crackling logs. The volume of the sound effect can be adjusted. Width: 6cm

Electric lighter



Length: 23cm. Rechargeable with USB cable.





C L E A N F I R E S Y S T E M
XARALYN®

A Vreekesweid 30 - 32
1721 PR Broek op Langedijk
The Netherlands

E info@xaralyn.com
W www.xaralyn.com



V. 250119